

SAFETY DATA SHEET



SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

ArrowSpec 70086-M

Blue Filter Oil

Chem Arrow Corporation

13643 Live Oak Lane
Irwindale, CA 91706
USA

Tel: +1-626-358-2255
Fax: +1-626-359-8190
www.chemarrow.com

Emergency Contact Information:

Chem Tel Inc.
Tel: 1-800-255-3924 (North America)
Tel: +1-813-248-0585 (All other countries)

SECTION 2: HAZARDS IDENTIFICATION

GHS Ratings:

GHS Hazards

GHS Precautions

There are no GHS ratings that apply to this product at this time.

SECTION 3: COMPOSITION INFORMATION ON CLASSIFIED INGREDIENTS

Component/Chemical Name	CAS No.	Weight Concentration %
Distillates, petroleum, hydrotreated heavy paraffinic	64742-54-7	40.00% - 50.00%
Lubricating oils, petroleum, hydrotreated spent	64742-58-1	40.00% - 50.00%

The specific identity and exact concentration of any included proprietary ingredient is withheld as a trade secret.

SECTION 4: FIRST AID MEASURES

Inhalation: If inhalation occurs, move the exposed person to fresh air. Avoid further inhalation and seek medical attention.

Eye Contact: In case of eye contact, flush the eyes with water for fifteen (15) minutes. If contact lenses are worn, quickly remove them, then flush the eyes with water. If irritation develops seek medical attention.

Skin Contact: In case of skin contact, remove contaminated clothing. Flush the skin with large amounts of water, then wash the skin with soap and water. If redness or irritation develops, seek medical attention.

Ingestion: If material is ingested, seek immediate medical attention. If vomiting occurs spontaneously, keep the head below the hips to prevent aspiration of liquid into the lungs.

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use water fog, foam, dry chemical or carbon dioxide (CO₂) to extinguish flames.

Haz Combustion Products: Highly dependent on combustion conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide and other organic compounds will be evolved when the material undergoes combustion.

Fire Fighting Instructions: This material will burn. For fires involving this material, do not enter any enclosed or confined fire space without protective equipment including self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Protective Measures: Eliminate all sources of ignition in vicinity of spilled material.

Spill Management: Stop the source of the release if you can do so without risk. Contain release to prevent further contamination of soil, surface water or groundwater. Clean up spill as soon as possible, observing precautions in Exposure Controls/Personal Protection. Use appropriate techniques such as applying non-combustible absorbent materials or pumping. Where feasible and appropriate, remove contaminated soil. Place contaminated materials in disposable containers and dispose of in a manner consistent with applicable regulations.

Reporting: Follow Local, State and Federal authority's regulations for reporting spills.

SECTION 7: HANDLING AND STORAGE

General Handling Information: Avoid contaminating soil or releasing this product into sewage, drainage system and bodies of water.

Container Warnings: Container is not designed to contain pressure. Do not use pressure to empty container or it may rupture with explosive force. Empty containers retain product residue (solid, liquid, and/or vapor) and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind or expose such containers to heat, flame, sparks, static electricity or other sources of ignition. Empty containers should be completely drained, properly closed and promptly returned to a drum reconditioner or disposed of properly.

Storage Conditions: Store in dry indoor area, preferably under mild temperature conditions. Store in original packaging. Keep container tightly closed when not in use. Avoid freezing.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Distillates, petroleum, hydrotreated heavy paraffinic 64742-54-7	PEL (Oil mist) - 5 mg/m ³	PEL (Oil mist) - 10 mg/m ³	None established
Lubricating oils, petroleum, hydrotreated spent 64742-58-1	PEL/TWA - 5 mg/m ³	TLV/TWA - 5 mg/m ³ TLV/STEL 10 mg/m ³	CAL OSHA TWA - 5mg/m ³

Engineering Controls: Use in a well ventilated area.

General Considerations: Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Eye/Face Protection: No special eye protection is normally required. Where splashing is possible, wear safety glasses with side shields as a good safety practice.

Skin Protection: No special protective clothing is normally required. Where splashing is possible, select protective clothing depending on operations conducted, physical requirements and other substances in the workplace. Suggested materials for protective gloves include: Nitrile Rubber, Silver Shield, Viton .

Respiratory Protection: No respiratory protection is normally required. If user operations generate an oil mist, determine if airborne concentrations are below the occupational exposure limit. If not, wear an approved respirator that provides adequate protection from the measured concentrations of this material. For air-purifying respirators use a particulate cartridge. Use a positive pressure air-supplying respirator in circumstances where air-purifying respirators may not provide adequate protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Attention: The data below are typical values and do not constitute a specification .

Appearance: Blue

Odor: Petroleum

Physical State: Liquid

Vapor Pressure: Not determined

Odor Threshold: Not determined

Vapor Density: Not determined

pH: Not applicable

Specific Gravity: 0.85

Solubility: Oil

Viscosity SUS @ 100 F: 200 +/- 40

Freezing Point: Not established

Flash Point: 392°F,200°C

Boiling Range: 260°C

Evaporation Rate: Not determined

Flammability Not determined

Explosive Limits: Not determined

Partition Coefficient (n-octanol/water): Not determined

Autoignition Temperature: Not determined

Decomposition Temperature: Not determined

VOC (Concentrate) Grams/Liter: AQMD Rule 1144 does not apply

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Incompatibility With Other Materials: Avoid contact with: Strong oxidizers, strong acids.

Conditions to Avoid: Extreme temperatures, open flames.

Hazardous Polymerization: Hazardous polymerization will not occur.

Hazardous Decomposition Products: None known (None expected).

SECTION 11: TOXICOLOGICAL INFORMATION

Mixture Toxicity

Oral Toxicity LD50: 3,563mg/kg

Component Toxicity (if applicable)

64742-58-1 Lubricating oils, petroleum, hydrotreated spent
Oral LD50: 2,000 mg/kg (Rat) Dermal LD50: 4,480 mg/kg (Rabbit)

Carcinogenicity: The following chemicals comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens or potential carcinogens by NTP, IARC, OSHA (mandatory listing), or ACGIH (optional listing).

<u>CAS Number</u>	<u>Description</u>	<u>% Weight</u>	<u>Carcinogen Rating</u>
None			No data found

SECTION 12: ECOLOGICAL INFORMATION

Component Ecotoxicity

Distillates, petroleum, hydrotreated heavy paraffinic	96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L 48 Hr EC50 Daphnia magna: >1000 mg/L
Lubricating oils, petroleum, hydrotreated spent	96 Hr LC50 Brachydanio rerio: 79.6 mg/L [semi-static]; 96 Hr LC50 Pimephales promelas: 3.2 mg/L [semi-static]

SECTION 13: DISPOSAL CONSIDERATION

Follow Local, State and Federal regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION

The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

<u>Agency</u>	<u>Proper Shipping Name</u>	<u>UN Number</u>	<u>Packing Group</u>	<u>Hazard Class</u>
DOT	Not regulated as a hazardous material under 49 CFR.			
IATA	NOT REGULATED AS DANGEROUS GOODS			
IMDG	NOT REGULATED AS DANGEROUS GOODS			

SECTION 15: REGULATORY INFORMATION

Regulatory lists searched:

State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): WARNING!

This product contains the following chemicals which are listed by the State of California as carcinogenic or a reproductive toxin:

No data found

<u>Country</u>	<u>Regulation</u>	<u>All Components Listed</u>
CA	Canada DSL	No
US	CERCLA	No
CN	China Inventory (IECSC)	Yes
EU	EINECS	Yes
MY	Malaysia Inventory (EHS Register)	No
US	SARA 311/312	No
US	TSCA	Yes


SECTION 16: OTHER INFORMATION

Hazardous Material Information System (HMIS)

HEALTH	<input type="text"/>	1
FLAMMABILITY	<input type="text"/>	1
PHYSICAL HAZARD	<input type="text"/>	0
PERSONAL PROTECTION	<input type="text"/>	

HMIS & NFPA Hazard Rating Legend
* = Chronic Health Hazard
0 = INSIGNIFICANT
1 = SLIGHT
2 = MODERATE
3 = HIGH

National Fire Protection Association (NFPA)



Date Prepared: 12/10/19

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

SAFETY DATA SHEET

QX9

Section 1. Identification

Product Identifier: QX9
Other Means of Identification: Surfactant
Product Type: Liquid
Recommended Uses and: Multi-purpose surfactant blend
Restrictions on use: None known

Supplier's Details: WIN MANUCO LTD
3465 Mainway
Unit #1
Burlington, ON
L7M 1A9
Tel: 905-331-5325
Toll Free: 888-203-6333
Fax: 905-331-4750
www.vitechinternational.com

Emergency Telephone: CHEMTREC, U.S.: 1-800-424-9300 International: +1-703-527-3887
Number

Section 2. Hazards Identification

OSHA/HCS Status: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the: ACUTE TOXICITY (dermal) – Category 4
Substance or mixture SERIOUS EYE DAMAGE/EYE IRRITATION – Category 1

GHS Label Elements

Hazard pictograms:



Signal Word: Danger
Hazard Statements: Harmful in contact with skin
Causes serious eye damage

Precautionary Statements

Prevention: Wear protective gloves/protective clothing. Wear eye or face protection.

Response: IF ON SKIN: Wash with plenty of soap and water. Call a POISON CENTER or a doctor/physician if you feel unwell. Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a Poison Center or doctor/physician.

Storage: Not Applicable

Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazards Not Otherwise Classified: None Known

Section 3. Composition/Information on Ingredients

Substance/mixture: Mixture

Chemical Name	%	CAS Number
Proprietary ingredient 1	Proprietary	-
Proprietary ingredient 2	Proprietary	-

The chemical identity and exact percentage of the composition has been withheld as it is a trade secret.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Section 4. First Aid Measures

Description of Necessary First Aid Measures

Eye Contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Skin Contact: Flush contaminated skin with plenty of water. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most Important Symptoms/Effects, Acute and Delayed**Potential Acute Health Effects**

Eye Contact:	Causes serious eye damage
Inhalation:	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin Contact:	Harmful in contact with skin. May cause mild skin irritation.
Ingestion:	May be irritating to mouth, throat and stomach

Over Exposure Signs/Symptoms

Eye Contact:	Adverse symptoms may include the following: Pain or irritation Watering Redness
Inhalation:	No known significant effects or critical hazards.
Skin Contact:	Adverse symptoms may include the following: Irritation Redness
Ingestion:	May be irritating to mouth, throat and stomach

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician:	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific Treatments:	No specific treatment
Protection of First Aiders:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

Section 5. Fire-Fighting Measures**Extinguishing Media**

Suitable extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known

Specific Hazards Arising from the chemical No specific fire or explosion hazard

Hazardous thermal decomposition products	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides hydrogen chloride methyl chloride
---	---

Special protective actions for fire-fighters No special measures are required.

Special protective equipment for fire-fighters Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

**For non-emergency:
Personnel** No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and Materials for Containment and Cleaning Up

Spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and Storage

Precautions for Safe Handling

Protective Measures: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Advice on General:
occupational hygiene** Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

**Conditions for Safe:
Storage, including any
Incompatibilities** Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure Controls/ Personal Protection

Control Parameters

**Occupational Exposure:
Limits** None

**Appropriate Engineering:
Controls** Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental Exposure:
Controls** Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual Protection Measures

Hygiene Measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin Protection

Hand Protection: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other Skin Protection: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory Protection: Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and Chemical Properties

Appearance

Physical State:	Liquid. [Clear to slightly turbid]
Color:	Light yellow
Odor:	Not available
Odor Threshold:	Not available
pH:	6 to 9 [as is]
Melting/Freezing Point:	Not available
Boiling Point/Range:	Not available
Flash Point:	>93.3°C (>200°F)
Evaporation Rate:	>1 (Butyl acetate = 1)
Flammability (solid, gas):	Not available
Lower and Upper Explosive: (flammable) Limits	Not available
Vapor Pressure:	<0.013kPa (<0.1mmHg) [room temperature]
Vapor Density:	>1 [Air = 1]
Relative Density:	0.97 – 1.01
Solubility:	Easily soluble in the following materials: water
Partition Coefficient: n-octanol/water	Not available
Auto-Ignition Temperature:	Not available
Decomposition Temperature:	Not available
Viscosity:	Not available

Section 10. Stability and Reactivity

Reactivity:	No specific test data related to reactivity available for this product or its ingredients
Chemical Stability:	The product is stable
Possibility of Hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	No specific data.
Incompatible Materials:	Reactive or incompatible with the following materials: strong oxidizing materials.
Hazardous Decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Product/Ingredient Name	Result	Species	Dose	Exposure
Proprietary ingredient 1	LD50 Oral LD50 Dermal	Rat Rabbit	>2000 mg/kg 1000-2000 mg/kg	- -

Proprietary ingredient 2	LD50 Oral LD50 Dermal	Rat Rabbit	>2000 mg/kg 1000-2000 mg/kg	- -
--------------------------	--------------------------	---------------	--------------------------------	--------

Irritation/Corrosion

There is no data available

Sensitization

Not a skin sensitizer based on components.

Carcinogenicity

No components are listed as carcinogens by IARC, ACGIH, OSHA or NTP above the threshold of 0.1%

Specific Target Organ Toxicity (single exposure)

There is no data available

Specific Target Organ Toxicity (repeated exposure)

There is no data available

Aspiration Hazard

There is no data available

Information on the likely routes of exposure: Dermal contact. Eye contact. Inhalation. Ingestion.

Potential Acute Health Effects

Eye contact: Causes serious eye damage
Inhalation: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin Contact: Harmful in contact with skin. May cause mild skin irritation.
Ingestion: May be irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye Contact: Adverse symptoms may include the following:
Pain or irritation
Watering
Redness
Inhalation: No known significant effects or critical hazards.
Skin Contact: Harmful in contact with skin. Adverse symptoms may include the following:
Irritation
redness
Ingestion: May be irritating to mouth, throat and stomach.

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects: No known significant effects or critical hazards.
Potential delayed effects: No known significant effects or critical hazards.

Long term exposure

Potential immediate effects: No known significant effects or critical hazards.
Potential delayed effects: No known significant effects or critical hazards.

Potential chronic health effects

General: No known significant effects or critical hazards.
Carcinogenicity: No known significant effects or critical hazards.
Mutagenicity: No known significant effects or critical hazards.
Teratogenicity: No known significant effects or critical hazards.
Developmental effects: No known significant effects or critical hazards.
Fertility effects: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates There is no data available.

Section 12. Ecological Information

Toxicity

Product/ingredient name	Result	Species	Exposure
Proprietary ingredient 1	Acute LC50 = 9.2mg/L	Daphnia Magna	48 hours
Proprietary ingredient 2	Acute LC50 = 4.6mg/L Acute LC50 = 4.1mg/L EC50 = 2.8mg/L	Fathead Minnow Daphnia Magna Green Algae	96 hours 48 hours 96 hour

Persistence and Degradability: Readily biodegradable (OECD 301D)

Bioaccumulative Potential: There is no data available

Mobility in Soil

**Soil/water partition coefficient:
(K_{oc})** Not available

Other adverse effects: No known significant effects or critical hazards.

Section 13. Disposal Considerations

Disposal Methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport Information

	TDG/DOT Classification	IMDG	IATA
UN Number	Not regulated	Not regulated	Not regulated
UN Proper Shipping Name	-	-	-
Transport Hazard Class(es)	-	-	-
Packing Group	-	-	-
Environmental Hazards	No	No	No
Additional Information	-	-	-

**Transport in bulk according:
To Annex II of MARPOL
73/78 and the IBC Code** Not available

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do

in the event of an accident or spillage.

Section 15. Regulatory Information

U.S. Federal Regulations: **United States Inventory (TSCA):** All components are listed or exempted

Clean Air Act Section 112: Not listed

(b) Hazardous Air Pollutants (HAPS)

Clean Air Act Section 602: Not listed

Class I Substances

Clean Air Act Section 602: Not listed

Class II Substances

DEA List I Chemicals: Not listed

(Precursor Chemicals)

DEA List II Chemicals: Not listed

(Essential Chemicals)

SARA 302/304

Composition/Information on Ingredients

Not listed

SARA 311/312

Classification: See Section 2 for more information

California Proposition 65: Components: 1,4-Dioxane CAS#: 123-91-1

Vitech International's QX9 may contain detectable quantities of 1,4-Dioxane which is a chemical on the California Prop 65 list. Levels are typically low PPM's but may vary. Vitech believes that if formulated properly, the levels in this product should not cause a finished product to exceed the daily exposure limits. Please consult Vitech in order to obtain information and assistance in meeting your requirements under the Prop 65 requirements for your finished formulation(s).

International Lists

National Inventory

Australia (AICS): All components are listed or exempted.

Canada (DSL): All components are listed or exempted.

China (IECSC): All components are listed or exempted.

Europe (EINECS): One or more components are not listed.

Japan (ENCS): All components are listed or exempted.

New Zealand (NZIoC): All components are listed or exempted.

Philippines (PICCS): All components are listed or exempted.

Republic of Korea (KECL): All components are listed or exempted.

Taiwan (NECI): All components are listed or exempted.

Section 16. Other Information

History

Date of issue mm/dd/yyyy: 11/19/2019
Date of previous issue: 12/10/2014
Version: 2
Revised Section(s): 15
Prepared by: Win Manuco Ltd.

“The technical source for innovative solutions”

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Disclaimer: As the handling and use of products under user's conditions are beyond our control, no warranty, expressed or implied, including, but not limited to merchantability or fitness for a particular use, is made concerning this product. The user assumes all risk of use or handling whether or not in accordance with any directions or suggestions of the supplier. Seller shall not be liable to purchaser or any other person for loss or damages directly or indirectly arising from the use of our products, from breach of any warranty or from any other cause, the exclusive remedy against the seller being to require replacement or repair of defective goods.